


**AMENDED PROPOSED PLAN
OF REMEDIAL ACTION**

201 / 205 A Street
Wilmington, DE

DNREC Project No. DE-1228



October 2002

Delaware Department of Natural Resources and Environmental Control
Division of Air and Waste Management
Site Investigation & Restoration Branch
391 Lukens Drive
New Castle, Delaware 19720

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	SITE DESCRIPTION AND HISTORY.....	2
3.0	INVESTIGATION RESULTS.....	2
4.0	REMEDIAL ACTION OBJECTIVES	5
5.0	PROPOSED PLAN OF REMEDIAL ACTION	5
6.0	PUBLIC PARTICIPATION.....	6

LIST OF FIGURES

Figure 1: Site Location/Topographic Map	9
Figure 2: Sampling Locations	10

1.0 INTRODUCTION

The 201/205 A Street property (site) is located on the southern bank of the Christina River in Wilmington, Delaware. The site is bordered on the west by a parking lot (200 S. Market Street), on the south by A Street, and on the east by a parking lot for the Christina River Club (Figure 1). In order to determine the potential for environmental liability prior to the purchase of the site, the Riverfront Development Corporation (RDC) entered into the Department of Natural Resources and Environmental Control's (DNREC) Voluntary Cleanup Program (VCP) under the provisions of the Delaware Hazardous Substance Cleanup Act, 7 Del. C. Chapter 91 (HSCA). Through a VCP Agreement, RDC agreed to investigate the potential risks posed to the public health, welfare, and the environment at the site. RDC contracted EA Engineering, Science and Technology, Inc. (EA) to perform a remedial investigation (RI) of the site.

The purpose of the RI was to: 1) collect additional information from the site to refine site knowledge from previous investigations; 2) delineate and determine the extent of petroleum contamination, and its possible migration and environmental impacts; and 3) determine the level of risk posed by the contaminants, and based upon this analysis, evaluate remedial alternatives.

The proposed plan of remedial action (proposed plan) for the 201/205 A Street site was issued for public comment on October 21, 2001. The public comment period ended on November 12, 2001. No comments were received by DNREC. Thus, the proposed plan was adopted as the final plan of remedial action (final plan) on November 12, 2001. Because the owner of the site changed the intended future use of the property after the final plan was issued, DNREC determined that it was necessary to issue this amended proposed plan of remedial action (amended proposed plan) to account for the change in the use of the site.

In August 2002, RDC approached DNREC with a request to change the proposed development of the property from commercial/industrial to urban residential (i.e., apartment/condominium). At DNREC's request, RDC agreed to perform an updated risk assessment of the property to take into account the proposed change in land use. The updated risk assessment concluded that elevated risks to human health are posed by soil contamination at the site. DNREC has determined that the initial proposed remedy, which consisted of "hot spot" excavation and removal, containment of residual petroleum-impacted soils underneath structures and a parking lot, would still be protective of human health and the environment provided that no areas of contaminated soil would remain exposed, such as yards or vegetative buffers.

This document is DNREC's amended proposed plan for the site. It is based on the results of the previous investigations performed at the site. This amended proposed plan is issued under the provisions of the HSCA and the Regulations Governing Hazardous Substance Cleanup (Regulations). It presents DNREC's assessment of the potential health and environmental risks posed by the site.

As described in Section 12 of the Regulations, DNREC will provide notice to the public and an opportunity for the public to comment on the amended proposed plan. At the comment period's conclusion, DNREC will review and consider all of the comments received and then DNREC will issue an amended final plan of remedial action (amended final plan). The amended final plan will designate the selected remedy for the site. All previous investigations of the site, the

proposed plan, the final plan, the amended proposed plan, the comments received from the public, DNREC's responses to those comments, and the amended final plan will constitute the remedial decision record for the site.

Section 2.0 presents a summary of the site description and history. Section 3.0 provides a description of the RI results. Section 4.0 presents a discussion of the remedial action objectives. Section 5.0 presents the amended proposed plan of remedial action. Section VI discusses public participation requirements.

2.0 SITE DESCRIPTION AND HISTORY

Site Setting

The site is located along the southern bank of the Christina River in Wilmington, Delaware (Figures 1 & 2). The site is bordered on the north by the Christina River, on the west by a parking lot (200 S. Market Street), on the east by 207 A Street, and on the south by A Street. The site is part of a larger property, which consists of three parcels: 201 A Street, 205 A Street, and 207 A Street, which in total encompass 3.58 acres. However, 207 A Street, which consists of 1.76 acres, was assessed as part of a separate investigation and is not part of the site. The remaining two parcels (combined as tax parcel number 26-050.00.005) constitute the 201/205 A Street site, which is approximately 1.82 acres in size. The Christina River Club Restaurant and a warehouse are located on the site. The remainder of the site is utilized as a paved parking lot. The surrounding land use is generally light industrial and commercial.

Site and Project History

EA, through a review of historical aerial photographs, United States Geologic Survey topographic maps, historical Sanborn fire insurance maps and city directories, investigated the historical use of the site. The 1887 and 1893 Sanborn maps indicated that the site was used as a planing mill, coal and lumberyard, and was owned by the Cold Spring Ice and Coal Company. By the 1920s, the site was occupied by the American Oil Company, and contained an aboveground storage tank farm, several small buildings and railroad sidings. The American Oil Company continued to operate at the property until the 1980s.

The RDC entered into a VCP Agreement in 2001 with DNREC to perform a RI. The objectives of the RI were to evaluate potential risks to human health, welfare and the environment posed by the site.

3.0 INVESTIGATION RESULTS

EA conducted a Phase II investigation at the site in October 1999, which consisted of direct push soil and groundwater sampling. Subsurface soil samples were collected from five direct push soil borings at the site. Groundwater samples were collected from temporary wells constructed in three of the soil boring locations.

Subsequent to the Phase II investigation, a RI was conducted in April and May 2001 by EA, in which soil samples were collected from a total of seven soil borings, with groundwater samples collected from permanent monitoring wells constructed in three of the soil boring locations.

The samples were analyzed for contaminants listed on the Target Analyte List (TAL) and the Target Compound List (TCL). The analytical results were first compared to the DNREC-SIRB Uniform Risk Based Remediation Standards (URS) in a non-critical water resource area, using the unrestricted use risk scenario as a screen in order to determine potential contaminants of concern (COCs). Those chemicals whose concentrations exceeded the unrestricted use URS were selected as COCs and included in a human health risk assessment and ecological risk assessment screening.

The only volatile organic compound (VOC) detected above the unrestricted use URS values was benzene in two (2) Phase II soil boring locations. Benzene was detected at concentrations of 3.4 milligrams per kilogram (mg/kg) from the soil sample collected from soil boring location B-4, and 1.2 mg/kg from the soil sample collected from location B-9 (URS value of 0.8 mg/kg). However, concentrations of benzene did not exceed the unrestricted URS value in 83% of the soil samples collected. In accordance with the 75%/10X rule outlined in the *Remediation Standards Guidance*, attainment of guidance criteria can be obtained if sample concentrations from at least 75% of the samples (from the same media) fall below the respective URS for the contaminant in question, with no single result exceeding the URS value by a factor of 10.

Subsurface soil samples from eleven (11) Phase II and RI soil boring locations contained one or more polynuclear aromatic hydrocarbons (PAHs) at concentrations exceeding the respective unrestricted use URS values. Benzo(a)pyrene exceeded the unrestricted use URS value of 0.09 mg/kg in eleven locations, with concentrations ranging up to 7.1 mg/kg. Other PAHs detected in subsurface soils at concentrations in exceedence of the respective unrestricted URS values include benzo(a)anthracene (up to 6.9 mg/kg; URS of 0.9 mg/kg), benzo(b)fluoranthene (up to 7.7 mg/kg; URS of 0.9 mg/kg), dibenz(a,h)anthracene (up to 1.3 mg/kg; URS value of 0.09 mg/kg), and indeno(1,2,3-cd)pyrene (up to 3.3 mg/kg; URS of 0.9 mg/kg). The highest concentrations of each of the above compounds were detected in samples collected from soil boring B-4, located along the 205/207 A Street parcel boundary. However, all of the contaminant concentrations were below the respective restricted use URS values.

Arsenic and iron exceeded their unrestricted use URS value of 0.4 mg/kg and 2,300 mg/kg, respectively, in every soil sample, at concentrations ranging up to 30.7 mg/kg and 58,000 mg/kg, respectively. However, all of the contaminant concentrations were below the respective restricted use URS values.

The results of the Phase II investigation identified several metals and PAH compounds at concentrations exceeding the respective groundwater URS values. However, due to the sampling method utilized, these groundwater samples contained a high level of suspended fine sediment, and were not considered to be representative of groundwater quality. The RI, which utilized permanent monitoring wells, did not detect any PAH compounds.

Each of the three RI groundwater samples contained arsenic (up to 63 micrograms per liter [$\mu\text{g/L}$], MW-2), iron (up to 28,000 $\mu\text{g/L}$, MW-3) and manganese (up to 819 $\mu\text{g/L}$, MW-3) above their respective groundwater URS values. Both the iron and manganese values are based

upon drinking water Secondary Maximum Contaminant Levels of 300 µg/L and 50 µg/L, respectively, and represent non-enforceable aesthetic standards. Further, public water is available in this area, and a Groundwater Management Zone (GMZ) restricting use of groundwater in Wilmington is presently in place, both of which prevent human exposure to site groundwater.

Contaminants identified as COCs and retained for inclusion in the human health risk assessment include: benzo(b)fluoranthene, benzo(a)pyrene, dibenz(a,h)anthracene, benzo(a)anthracene, iron, manganese and arsenic. The calculations were conducted using the DNREC Site-Specific Calculator for Multiple Analytes (DNREC May 2000 version). The initial risk assessment that was performed assumed a restricted use risk setting, and development of the site into a multi-story office building. It was performed in order to evaluate the cumulative risk associated with the exposure to soil and ingestion of groundwater on the site. The initial risk assessment calculated a soil cumulative risk to be 4×10^{-6} , which is below the HSCA action level of 1×10^{-5} , and a hazard quotient (HQ) below 1.0. Therefore, it was concluded that the soil did not pose an unacceptable risk to human health, given a commercial/industrial risk setting.

Based upon the request to change the proposed development at the site from commercial/industrial to urban residential, a second risk assessment was performed, at DNREC's request, to take into account the proposed change in land use. The exposure pathway evaluation determined that the only potential completed pathway is exposure to contaminated soil by future construction workers. At the present time there are no completed pathways as the majority of the site is covered by asphalt. After development of the site, exposure pathways will be eliminated as the site will be covered by buildings, landscape, and paving. In this case, the only possible exposure pathway would be that of construction workers exposed to direct contact with subsurface soil or to fugitive dust emissions during construction, future utility maintenance, and similar activities.

The results of the risk calculations show that noncancer risk (HQ) to the construction worker was 0.83, which is below the 1.0 threshold. The ingestion route of exposure accounted for 97% of the total risk. Thus the potential for noncancer effects to the construction worker are acceptable. The risk calculations for cancer risk ranged from 2×10^{-7} for benzo(b)fluoranthene and dibenz(a,h)anthracene to 2×10^{-6} for benzo(a)pyrene. The total cancer risk to the construction worker was 4×10^{-6} . Incidental ingestion of soil accounted for 92% of cancer risks. The Regulations set a cleanup and background risk of 1×10^{-5} . Therefore, the total cancer risk level of 4×10^{-6} is acceptable under the Regulations.

Due to the site's location along the Christina River, it was necessary to assess what potential impacts, if any, the site could pose to the environmental health of the river. The site will remain paved and will be re-developed, with the existing bulkhead being maintained, thus precluding erosion of site soils into the river. Groundwater loading values were also calculated to evaluate the possible effects of groundwater discharge into the Christina River. Loading values for all organic and metallic analytes detected in groundwater during both the Phase II and RI investigations were calculated based upon the measured groundwater flow rate at the site and the flow rate of the Christina River. Based upon these calculations, it was determined that there were no exceedences of Delaware's Surface Water Quality Standards (DSWQS) by the discharge of site groundwater into the Christina.

4.0 REMEDIAL ACTION OBJECTIVES

According to Section 8.4 (1) of the Regulations, site-specific remedial action objectives (RAOs) must be established for all plans of remedial action. The Regulations provide that DNREC set objectives for land use, resource use and cleanup levels that are protective of human health and the environment.

Qualitative objectives describe in general terms what the ultimate result of the remedial action, if necessary, should be. The following qualitative objectives are determined to be appropriate for the site:

- Prevent residential exposure to impacted media;
- Minimize potential exposure to site contaminants of concern for construction workers at the site;
- Prevent environmental impacts, specifically to the Christina River, due to impacted media at the site; and
- Continue the use of public water for all purposes to the surrounding community.

These objectives are consistent with the current use of the site as a commercial use in an urban setting, New Castle County zoning policies, state regulations governing water supply and worker health and safety.

Based on the qualitative objectives, the quantitative objectives are:

1. Prevent human exposure to soils and groundwater contaminated by VOCs, PAHs, and metals at concentrations above their respective URS values.
2. Prevent discharge of groundwater contaminated by VOCs, PAHs, and metals into the Christina River above Delaware Surface Water Quality Standards.

5.0 PROPOSED PLAN OF REMEDIAL ACTION

Based on DNREC's evaluation of the site information and the above remedial action objectives, the recommended remedial actions for the site consist of the following activities as described below:

1. Placement of a cap over impacted soils containing PAHs and metals above their respective URS values constructed in conjunction with development of the property that will contain soils underneath proposed structures and asphalt parking lots;
2. Maintain the existing bulkhead along the Christina River to contain the existing impacted soils at the site so as to prevent their erosion into the Christina River;

3. Placement of a deed restriction on the property: a) prohibiting any digging, drilling, excavating, grading, constructing, earth moving, or any other land disturbing activities on the property (including the bulkhead) without the prior written approval of the DNREC; b) requiring written approval from DNREC prior to any repair, renovation or demolition of the existing structures on the property, or any paved surfaces; and c) prohibiting the installation of any water well on, or use of groundwater at, the site without the prior written approval of DNREC;
4. Inclusion of the site as part of the Wilmington Groundwater Management Zone.
5. Prepare and implement an Operation and Maintenance Plan to maintain the integrity of the structures and asphalt cap.

6.0 PUBLIC PARTICIPATION

DNREC actively solicits public comments or suggestions on the amended proposed plan of remedial action and welcomes opportunities to answer questions. Please direct written comments to:

DNREC Site Investigation and Restoration Branch
391 Lukens Drive
New Castle, Delaware 19720
Attention: Keith Robertson

The comment period begins Monday, October 21, 2002, and ends at the close of business (4:30 p.m.) Tuesday, November 12, 2002, and if so requested, a public meeting will be held on the amended proposed plan. The meeting time and place will be announced if said meeting is requested.

KJR/rm
KJR02055.doc
DE 1228 II B8

John Blevins, Director
Division of Air and Waste Management

Date of Review of Amended Proposed Plan

Figures 1 & 2 from Remedial Investigation Report

Prepared by EA Engineering, Science and Technology, Inc., September 2001.

Figure 1: Site Location/Topographic Map

Figure 2: Sampling Locations

APPENDIX A