


PROPOSED PLAN OF REMEDIAL ACTION

524 A & B South Walnut Street

Wilmington, Delaware

DE-1235



May 2002

Department of Natural Resources and Environmental Control
Division of Air and Waste Management
Site Investigation and Restoration Branch
391 Lukens Drive
New Castle, DE 19720 - 3774

Table of Contents

1.0	INTRODUCTION	1
2.0	SITE DESCRIPTION AND HISTORY	1
3.0	INVESTIGATION RESULTS	2
3.1	GENERAL INFORMATION	3
3.2	SITE SOILS	3
3.3	GROUNDWATER.....	3
3.4	SUMMARY	4
4.0	REMEDIAL ACTION OBJECTIVES.....	5
5.0	PROPOSED PLAN OF REMEDIAL ACTION	6
6.0	PUBLIC PARTICIPATION.....	7

List of Figures

FIGURE 1: SITE LOCATION MAP	8
FIGURE 2: SITE DETAIL.....	8

List of Appendix

APPENDIX 1: LABORATORY DATA TABLES.....	10
---	----

1.0 INTRODUCTION

The 524 A & B South Walnut Street (site) is located at 524 South Walnut Street between Garasches Lane and C Street within the city limits of Wilmington, New Castle County, Delaware (Figure 1).

In order to determine the potential for environmental liability and obtain a Certificate of Completion of Remedy (COCR), and in accordance with applicable laws and regulations, 520 Venture Corporation (owner), entered into the Delaware Department of Natural Resources and Environmental Control (DNREC) Voluntary Cleanup Program (VCP) under the provisions of the Delaware Hazardous Substance Cleanup Act (HSCA), 7 Del. C. Chapter 91. Through a VCP Agreement, the owner agreed to conduct a remedial investigation (RI) to characterize the risks posed to the public health, welfare and the environment. The owner contracted Tetra Tech, Inc. (Tt) to perform the RI of the site. The purpose of the RI was to: 1) understand the nature and extent of any soil contamination on the site, 2) evaluate risks to public health, welfare and the environment associated with any identified contamination, and 3) if necessary, identify and recommend a remedial action, if required by DNREC.

This document is DNREC's proposed plan of remedial action (proposed plan) for the site. It is based on the results of the previous investigations performed at the site. This proposed plan is issued under the provisions of the HSCA and the Delaware Regulations Governing Hazardous Substance Cleanup (Regulations). It presents the Department's assessment of the potential health and environmental risks posed by the site.

As described in Section 12 of the Regulations, DNREC will provide notice to the public and an opportunity for the public to comment on the proposed plan. At the comment period's conclusion, DNREC will review and consider all of the comments received, and will issue a final plan of remedial action (final plan). The final plan shall designate the selected remedy, if required, for the site. All prior investigations of the site, the proposed plan, the comments received from the public, DNREC's responses to those comments, and the final plan will constitute the remedial decision record.

Section 2.0 presents a summary of the site description, site history and previous investigations of the site. Section 3.0 provides a description of the remedial investigation results. Section 4.0 presents a discussion of the remedial objectives. Section 5.0 presents the proposed plan of remedial action. Section 6.0 discusses public participation requirements.

2.0 SITE DESCRIPTION AND HISTORY

The site is located at 524 South Walnut Street between Garasches Lane and C Street, in Wilmington, New Castle County, Delaware. The site consists of approximately 7.2 acres and consists of one parcel, New Castle County tax parcel number 26-050.00-031. The site has one commercial condominium building, paved surfaces and a small landscaped area. The site is approximately 90 percent covered by either building and/or parking areas.

The site was previously used as a junkyard from the 1930s through the early 1960s. Prior to 1988 the eastern portion of the site was owned by railroad companies, including Consolidated Rail and the Wilmington and Northern Railroad. The building on the site was constructed sometime

around 1988 and currently houses commercial tenants. The site is bounded generally by Walnut Street to the west, a vacant wooded area and unpaved driveway to the north, a ditch and marshland to the east and vacant land to the south (Figure 2).

Site and Project History

Historically, the site was used as a junkyard prior to its current land use. Surrounding properties have historically been used for lumberyards, coal companies, carriage works, leather works, an incinerator, a municipal dump, shipbuilding, automotive shops and salvage yards, warehousing, oil storage and distribution and other commercial and industrial uses. Previous investigations in the vicinity have noted significant filling to have taken place on surrounding properties.

Geotechnical investigations at the site in 1973, 1974 and 1987 have confirmed that the site has been extensively filled with a variety of material including rocks, broken concrete, trash, cinders, slag, incinerated rubbish, rags, wood, glass, plastic and coal. According to the geotechnical report, the site may have received fill as recently as 1986. The depth of the material ranged from 0 to approximately 15 feet below grade.

Tt conducted Phase I Environmental Assessments in December 1997 and December 2000. Tt conducted an RI at the site in the September 2001 to assess the extent and character of potential contamination of soils and historical fill material observed during an earlier geotechnical study.

As part of the RI, ten (10) direct-push borings (Geoprobe®) were placed at representative locations around the property and a total of twenty-two (22) soil samples were collected. Soil samples were collected from 0 to 2 feet below ground surface and between 2 and 6 feet below ground. All soil samples were then submitted for laboratory analysis of USEPA Target Compound List/Target Analyte List (TCL/TAL) parameters.

One groundwater sample was collected from each sampling location (10 samples) using a peristaltic pump in temporary PVC screen and casing placed in the borehole.

3.0 INVESTIGATION RESULTS

DNREC worked with Tt to develop an RI work plan to address the following:

- Determine the presence or absence of contaminants at the surface and subsurface soils and groundwater, and if present, determine if the contaminants pose any unacceptable risks to human health or the environment.

The RI work plan called for Tt to perform the following tasks:

- Sample and analyze the surface and subsurface soil and groundwater at the site;
- Conduct a deed search and gather relevant background information;
- Prepare a pathway analysis for potential pathways of concern.

The following is a brief summary of the results of the investigations for the site:

3.1 General Information

The site consists of approximately 7.2 acres and is currently occupied by one commercial condominium building, paved surfaces and a small landscaped area. The site is approximately 90 percent covered by either building and/or parking areas and all non-hard surfaced areas are reportedly covered with two feet of clean fill soil. All surrounding buildings and structures are currently connected to public water and sewer systems.

3.2 Site Soils

The soils at the site are mapped as made land or urban land, indicating areas that have been filled with soil material, miscellaneous fill or both. Direct-push soil sampling indicated that the subsurface materials consist of a layer of crushed rock or silty sand under asphalt or gravel underlain by fill to depths of 8 feet to 16 feet below ground surface. Fill materials consisted of rocks, broken concrete, trash, cinders, slag, incinerated rubbish, rags, wood, glass, plastic and coal.

Ten direct-push soil borings were placed at representative locations around the site, and a total of twenty-two soil samples were collected and submitted for laboratory analysis.

Laboratory analytical results indicated several metals and compounds exceeded the DNREC Uniform Risk-Based Standard (URS) restricted use value for soil in a non-critical water resource area in at least one sample, including the polycyclic aromatic hydrocarbons (PAHs) benzo(a)pyrene, dibenz(a,h)anthracene, benzo(b)fluoranthene, PCB-1248, arsenic and lead. No volatile organic compounds (VOCs) were detected above the applicable URS values. Additional metals and compounds, including the polychlorinated biphenyls (PCBs) PCB-1254 and PCB-1260 and the pesticide DDT exceeded the unrestricted use URS in at least one sample, but were below the restricted use URS.

Benzo(a)pyrene (0.19 mg/kg to 6.4 mg/kg) exceeded the restricted use URS in eight samples, dibenz(a,h)anthracene (0.038 mg/kg to 1.2 mg/kg) exceeded in two samples and benzo(b)fluoranthene (0.24 mg/kg to 8.1 mg/kg) exceeded the applicable URS in one sample. PCB-1248 was detected greater than the URS in one sample (14.0 mg/kg vs. 3.0 mg/kg). The data tables are shown in Appendix 1.

Arsenic exceeded the restricted use URS of 4.0 mg/kg in eighteen samples, however, only four samples exceeded the natural background levels (typically less than 11.0 mg/kg) normally found in northern New Castle County. Arsenic concentrations in shallow samples ranged from 3.3 mg/kg to 10.4 mg/kg, with a median concentration of 4.8 mg/kg. Deep soil samples had arsenic concentrations ranging from 2.6 mg/kg to 14.6 mg/kg and had a median concentration of 9.2 mg/kg. Lead concentrations ranged from 12.5 mg/kg to 1,140 mg/kg. One sample contained lead at a concentration greater than the restricted use URS (1,140 mg/kg vs. 1,000 mg/kg). The data tables are shown in Appendix 1.

3.3 Groundwater

Ten groundwater samples were collected during the RI. The results of shallow groundwater sampling at the site indicated that groundwater beneath the site contains concentrations of metals, most notably arsenic, semi-volatile organic compounds (SVOCs) and some pesticides which exceed the URS for groundwater.

SVOCs exceeding the groundwater URS values were detected at sample location DP-4. They consisted of acenaphthene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, carbazole, dibenzofuran, fluorene, indeno(1,2,3-cd)pyrene and naphthalene.

The pesticides aldrin and dieldrin were detected in sample location DP-2 at a concentration exceeding the URS and DDT exceeded the URS for groundwater at DP-6.

Concentrations of metals greater than the URS for groundwater were detected across the site. In general, concentrations of total metals were greater than dissolved metals. Eight sample locations contained barium, iron and manganese at concentrations greater than the groundwater URS benchmark. Six groundwater samples exceeded the URS for groundwater for arsenic and one sample exceeded the URS for aluminum.

The area is served by a public water supply system. There are no known users of local groundwater or water supply wells near the site. There is a north-south trending ditch on the eastern side of the site that likely receives groundwater discharge from the site. The ditch drains to the Christina River approximately one-quarter mile north of the site. Several wetland areas are located to the northeast, east and southeast of the site.

3.4 Summary

The results of the investigations indicated that the site contains elevated concentrations of arsenic, lead, PAHs and PCBs in at least one soil sample that exceeded the DNREC URS values for restricted use. Several samples contained arsenic at a concentration greater than the URS value for restricted use, but within the range of concentrations that would be expected for natural background in Delaware. A number of samples also contained contaminant concentrations greater than the URS for unrestricted use, but below the restricted use URS.

The results of shallow groundwater sampling at the site indicated that groundwater beneath the site contains concentrations of metals, most notably arsenic, SVOCs and some pesticides which exceed the DNREC URS for groundwater. SVOC and pesticide exceedances were limited to single sampling locations and do not appear to be representative of groundwater beneath the entire site.

There are no known users of local groundwater or water supply wells near the site and groundwater is not considered a human health pathway of concern for this site. To evaluate the potential impact on ecological receptors, groundwater concentrations were compared to surface water URS values for protection of the environment. When a conservative dilution factor of ten, often used by the National Oceanic and Atmospheric Administration as a screening comparison, was applied to groundwater concentrations, the majority of potential surface water exceedances were eliminated. Therefore, the potential impact to aquatic life in the Christina River is expected to be minimal.

The site is approximately 90 percent covered by a building and asphalt parking lot, and landscaped areas area covered with approximately two feet of clean fill soil over the previously placed fill material, eliminating direct contact with contaminated soil, and minimizing the erosion of contaminated soil from the site.

4.0 REMEDIAL ACTION OBJECTIVES

According to Section 8.4 (1) of the Regulations, site-specific remedial action objectives must be established for all plans of remedial action. The Regulations provide that DNREC set objectives for land use, resource use, and cleanup levels that are protective of human health and the environment.

Qualitative objectives describe, in general terms, what the ultimate result of the remedial action, if necessary, should be. The following qualitative objectives are determined to be appropriate for the site:

- Control potential human exposure (dermal, inhalation and ingestion) to impacted soils;
- Control potential human exposure (ingestion and inhalation) to impacted groundwater;
- Control potential erosion of impacted soils to the Christina River: and
- Control the flow of groundwater contaminated by metals, PAHs and pesticides into the Christina River above the Delaware Surface Water Quality Standards.

These objectives are consistent with the current use of the site as non-residential use in an urban setting, and worker health and safety.

Quantitative objectives define specific levels of remedial action to achieve protection of human health and the environment. Based on the qualitative objectives, the quantitative objectives will be to ensure that future site users such as site workers, construction workers, visitors, and trespassers do not come in contact with soils or groundwater that contain elevated levels of metals, PAHs, pesticides and PCBs above the established URS values, and to prevent discharge of groundwater containing elevated levels of metals, PAHs and pesticides above URS values for surface water.

Based on the qualitative objectives, the quantitative objectives are:

1. Prevent human exposure to soils and groundwater contaminated by metals, PAHs, pesticides and PCBs that would result in a carcinogenic risk exceeding 1×10^{-5} , a hazard index of 1.0 or lead concentrations exceeding 1,000 mg/kg.
2. Prevent erosion of surface soils contaminated above DNREC URS for protection of the environment into the Christina River.

3. Prevent discharge of groundwater contaminated by metals, PAHs and pesticides into the Christina River above the Delaware Surface Water Quality Standards.

Concentrations of metals greater than the groundwater URS were detected across the site. In general, concentrations of total metals were greater than dissolved metals. Eight sample locations contained barium, iron and manganese at concentrations greater than the URS for groundwater benchmark. Six groundwater samples exceeded the groundwater URS for arsenic and one sample exceeded the URS for aluminum. SVOC and pesticide exceedances were limited to single sampling locations and do not appear to be representative of groundwater beneath the entire site. When a dilution factor of ten was applied to groundwater concentrations as a general rule of thumb, the majority of potential surface water exceedances were eliminated. Therefore, the potential impact to aquatic life in the Christina River is expected to be minimal.

The compounds that pose a potential human health hazard that were detected in groundwater are arsenic, pesticides and PAHs. There are no known users of local groundwater as a primary drinking water source in the area and no use of groundwater at the site. Based on this information, metal and organic compound concentrations in the groundwater, regardless of their source, do not pose a current risk to human health. In addition, the site is located within the boundaries of the Groundwater Management Zone (GMZ) for the City of Wilmington, established in August 2001, that will ensure that the Division of Air and Waste Management (DAWM) and the Division of Water Resources (DWR) will mutually review any water well permits at the site.

5.0 PROPOSED PLAN OF REMEDIAL ACTION

As stated in Section III of this proposed plan, the soils at the site contain elevated levels of some metals, PAHs, pesticides and PCBs. The site is currently developed as a commercial building and parking lot and is expected to remain under the same land use. The proposed plan for the 524 A & B South Walnut Street site calls for maintenance of the existing cover system (building and parking lot) and institutional controls, consisting of the following:

- Placement of a deed restriction on the site limiting the property, which is currently a commercial condominium, to restricted land use (non-residential uses) and prohibiting excavation, trenching, construction, grading, drilling, digging or other earth disturbance activities, or renovation or demolition of the existing structures on the property, or any paved surfaces in excess of 12 inches below grade on the site without prior written approval of DNREC-SIRB. Operations and maintenance will consist of maintaining the pavement cap in good condition.
- Placement of a GMZ and associated deed restriction at the site to prevent future use of the groundwater beneath the site without prior approval of DNREC.
- Development of an Operation and Maintenance (O&M) Plan for the site to insure future maintenance of the cap and cover.

6.0 PUBLIC PARTICIPATION

The Department actively solicits public comments or suggestions on the proposed plan and welcomes opportunities to answer questions. Please direct written comments to:

DNREC
Site Investigation and Restoration Branch
391 Lukens Drive
New Castle, Delaware 19720-2774
Attn: Larry Jones

The public comment period for this proposed plan begins on Monday, June 10, 2002, and ends at the close of business (4:30 p.m.) Monday, July 1, 2002. If so requested, a public hearing will be held on the Proposed Plan. The meeting time and place will be announced if said hearing is requested.

LJJ:dw
LJJ02050
DE 1235 II B8

Figure 1: Site Location Map

Figure 2: Site Detail

524 A & B South Walnut Street

Proposed Plan of Remedial Action

Appendix 1: Laboratory Data Tables

